Brittonia, 42(4), 1990, pp. 295–304.
© 1990, by the New York Botanical Garden, Bronx, NY 10458-5126

INDEX TO VOLUME 42

New names and combinations and the pages of publication are printed in **boldface.**

Abies fig. 206; *concolor* 34
Acacia 75
Acanthaceae 1–6, 84
Acer rubrum 281
Achlys triphylla 34
Acroporium acestrostegium 54
Actinidiaceae 196
Actinodontium: *portoricense* 126; *sprucei* 131; *standleyi* 126
ADAMS, RALPH M. See Sauleda & Adams 286–291
Additional note on the floral morphology and affinities of *Medusagyne oppositifolia* (Medusagynaceae), by William C. Dickison 191–196
Adelothecium bogotense 128
Adiantaceae 241
Adiantum: *latifolium* 241; *villosum* 241
Aeranthus porrectus 286
Aethusa leptophylla 277
Agelaia multiplicata 97
Aizoaceae 99
Alfaroa 169, 246
Allagoptera 98; *torallyi* 92
ALMEDA, FRANK, A third species of *Tessmannianthus* (Melastomataceae: Merianieae) from Panama 7–11
Amanoa 260–270, key 269–270; *almerindae* 264, 265, 267, 268, key 269; *anomala* 269, key 269; *caribaea* 260, key 269; **congesta** 260, **261**, 262, fig. 262, 265, 268, key 270; *cupatensis* key 269; *glaucophylla* 269, key 269; **gracillima** 260, **262–264**, fig. 263, 269, key 269; *grandiflora* key 269 & 270; *guianensis* 260–265, 267–270, key 269 & 270, var. *genuina* 264; *macrocarpa* key 269 & 270; **nanayensis** 260, 264, **265–267**, fig. 266, 270, key 270; **neglecta** 260, 264, **267–269**, fig. 268, key 269; *oblongifolia* 261, 264, 265, 267, key 269; *potamophila* key 269 & 270; *pubescens* key 269; *robusta* 260, 268, key 269; **sinuosa** 260, 265, 267, **268**, 269, key 269; *steyermarkii* 265, key 269
Amaryllidaceae 212–220
Amblytropis denticulata 126
Amellus villosus 221–228
Amyema 68
ANDERBERG, ARNE A. & SUSANA E. FREIRE, *Jalcophila boliviensis*, a new species of South American Asteraceae (Gnaphalieae) 138–141
Antennulariellaceae 108
Apiaceae 257–259, 276–278; Apioideae 276; Endressioideae 276; Cyclospermeae 276; Endressieae 276; Heteromorpheae 276
Apis mellifera 97
Apium 276–278; *ammi* 277, var. *caespitosum* 277, var. *filamentosum* 277, var. *genuinum* 277, f. *filamentosum* 277, f. *latisectum* 277, var. *latisectum* 277, var. *leptophyllum* 277, f. *nanum* 277, f. *pedunculata* 277; *annuum* 276; *biternatum* 278; *depressum* 277; *graveolens* 276; *laciniatum* 276, 277, var. *gracile* 278, f. *deserticolum* 278, f. *elatius* 277, var. *hispidulum* 278; *leptophyllum* 276, 277, var. *latisectum* 276, 277, var. *multisectum* 276; *nodiflorum* 276; *prostratum* 276; *ranunculifolium* 277; *rivulare* [*ribulare*] 277; *tenuifolium* 277; *uruguayense* 276, 278
Aquilegia: *saximontana* 99; *scopulorum* 99
Archboldiella pilifera 126
Aristida stricta 218
Aristolochiaceae 33–37, 99
ARRIAGADA, JORGE E. & TOD F. STUESSY, A new species and subgenus of *Desmanthodium* (Compositae, Heliantheae) from southern Mexico 283–285
Asarum 33–37; subg. *Asarum* 36; subg. *Heterotropa* 35; *caudatum* 33, 34, fig. 35, key 36; *hartwegii* 33–36, fig. 35, key 36; *lemmonii* key 36; *marmoratum* 33–37, fig. 35, key 36; *wagneri* key 36
Ascomycetes 105–115
Asplenium unilaterale 84
Asteraceae 56–58, 138–141, 154–157, 221–228, 279–285; Astereae 221–228; Eupatorieae 155–157; Gnaphalieae 138–141; Heliantheae 56–58, 155, 283–285; Inuleae 138; Vernonieae 155; Gnaphaliinae 138; Liatrinae 156; Milleriinae 283
Aster breweri 222
Astragalus 100–104, 154; sect. *Leptocarpi* 100–104; subsect. *Californici* 100–104; subsect. *Leptocarpi* 100, 103; *clarianus* 100, 101, fig. 102; *nuttallianus* 100, 103, var. *imperfectus* 103, var. *pilifer* 103; *nyensis* 100, 103; *rattanii* var. *jepsonianus* 100, 101, fig. 102, var. *rattanii* 101, fig. 102; *tener* 100–103, var. **ferrisiae 100**–102, fig. 102, var. *tener* 100–102, fig. 102
AUSTIN, DANIEL F. See McDonald & Austin 116–120
Austrobaileya 198
Baiera 201
Balanops 245
BARNEBY, RUPERT C.—book review of *A Gift to Glory In: The First Hundred Years of the Missouri Botanical Garden (1859–1959)*, by William Barnaby Faherty, S.J. 69
———.—book review of *Common Legumes of the Great Plains. An Illustrated Guide*, by James Stubbendieck & Elverne C. Conard 124
———.—book review of *John Lightfoot: His Work and Travels, with a Biographical Introduction and a Catalogue of the Lightfoot Herbarium*, by Jean K. Bowden 170
———.—book review of *Plant Taxonomy, Phy-*

togeography and Related Subjects. The Davis & Hedge Festschrift, edited by Kit Tan 154
———.—book review of *Spring and Winter Flowering Bulbs of the Cape*, by Barbara Jeppe 104
———.—book review of *The European Garden Flora. Volume III. Dicotyledons (Part 1). Casuarinaceae to Aristolochiaceae*, edited by S. M. Walters 99
———, Two new species of *Disciphania* (Menispermaceae: Tinosporeae) from subandean Ecuador and Peru 178–181
———, Two new taxa in *Dalea* (Fabaceae: Amorpheae) from southern Mexico and northern Chile 89–91
——— & JAMES W. GRIMES, *Orphanodendron*, a new genus of caesalpinioid Leguminosae from northwestern Colombia 249–253
BARNETT, LISA C. & LAURENCE J. DORR, A new, arborescent species of *Byttneria* (Sterculiaceae) from French Guiana 271–275
BARONI, TIMOTHY J.—book review of *Entoloma in North America. The Species Described by L. R. Hesler, A. H. Smith, and S. J. Mazzer: Type-studies and Comments*, by M. E. Noordeloos 294
Bauhinia 253
Befaria steyermarkii 254
Begonia 38–46; sect. *Gireoudia* 38–46; *barkeri* 42, 43, 45; *caroliniifolia* 40; *chiapensis* 40; *fusca* 42–44; *hydrocotylifolia* 40; *jaliscana* 40; *karwinskyana* 38, 42–45; **mariti** 38, **40–44**, fig. 41; *megaphylla* 45; *nelumbiifolia* 40; **rafael-torresii 38–40**, fig. 39; *stigmosa* 42; *urophylla* 42; *xiiitlensis* 45
Begoniaceae 38–46
Beilschmiedia 169
BENNETT, BRADLEY C.—book review of *Evolution and Coadaptation in Biotic Communities*, edited by S. Kawano, J. H. Connell & T. Hidaka 11
Berberis 99; *nervosa* 34
BERG, CORNELIS C., New species of *Coussapoa* and *Pourouma* (Cecropiaceae) 59–65
Berroa 138
Betulaceae 245, 246
Biarum davisii 154
Bioscypha 110; *cyatheae* 105, 108–110, fig. 109, 112; **pteridicola** 105, **110**, fig. 111, 112, 115
Bisporella 110
BOOM, BRIAN M.—book review of *Tanaina Plantlore. Dena'ina K'et'una. An Ethnobotany of the Dena'ina Indians of Southcentral Alaska. Second Edition*, by Priscilla Russell Kari 163
———.—book review of *The Nonclimbing Species of the Genus Psychotria (Rubiaceae) in New Guinea and the Bismarck Archipelago*, by S. H. Sohmer 247–248
———.—book review of *Tropical Forests. Botanical Dynamics, Speciation and Diversity*, edited by L. B. Holm-Nielsen, I. C. Nielsen & H. Balslev 83–84
Bowenia 201
Brachelyma subulatum 232, 235
Brachyotum 75
Brachythecium stereopoma 54
Bradburia 221
Bromus 154
Brymela: *callicostelloides* 130; *cuspidata* 130; *fissidentoides* 129; *obtusifolia* 130
Bryohaplocladium microphyllum 53
Bryophyte collections of Wabash College Herbarium (WAB) now at the New York Botanical Garden (NY), by Benito C. Tan 50–55
Bryum truncorum 54
BUCK, WILLIAM R.—book review of *Field Guide to the Peat Moses of Boreal North America*, by Cyrus B. McQueen 291
———.—book review of *Glossarium Polyglottum Bryologiae. A Multilingual Glossary for Bryology*, edited by R. E. Magill 220
———.—book review of *Practical Guide to Bryophyte Chromosomes*, by M. E. Newton 253
BURT-UTLEY, KATHLEEN, New and noteworthy species in *Begonia* section *Gireoudia* (Begoniaceae) from Mexico 38–46
Byttneria 271–275, key 274; sect. *Crassipetala* 273, 274; sect. *Vahihara* 271, 273, 274; *aurantiaca* key 274; *cordifolia* key 274; *divaricata* key 274; *fruticosa* 271; *genistella* key 274; *glabra* 271; **morii 271–274**, fig. 272, key 274; *scabra* key 274; *schunkei* 273, 274; *uaupensis* key 274
Cactaceae 99
Calceolaria 75
CALLEJAS, RICARDO, Studies in neotropical Piperaceae. II. Four new species and a new combination from Colombia and Peru 70–82
Callicostella: *aquatica* 126, 130; *bernoullii* 128; *ciliata* 128; *colombica* 126; *depressa* 54, 131; *diatomophila* 126, 128; *glabrata* 126; *grossiretis* 126; *hahniana* 129; *hondurensis* 126; *leonii* 126; *mexicana* 126; *oerstediana* 129; *pallida* 126, 128–130; *radicans* 129; *rivularis* 128, 129; *scabriseta* 130; *subfissidentoides* 130; *submonofaria* 126; *subpallida* 126; *tenerrima* 126; *vatteri* 126
Callirhoe: *digitata* 293; *involucrata* 293, var. *involucrata* 293, var. *linearriloba* 293; *pedata* 293
Calyptrochaeta haitensis 128
Campanulaceae 181
Camptotheca 168
Campylocentrum: *filiforme* 286; *porrectum* 286
Campylopus: *richardii* 54; *subcuspidatus* 54
Capsicum 147–154; *annuum* 150–152; *chacoënse* 147–154, figs. 149 & 150; *chinense* 152; *microcarpum* 151
Carex 182; *glaucescens* 217; *walteriana* 217
Carya 246
Caryocaraceae 196
Cassia 124
Casuarinaceae 99, 245
Cecropiaceae 59–65, 246
Celastraceae 181
Ceroxylon 98
Chaetomitrium: *frondosum* 126; *longisetulum* 126; *parcesetulosum* 126; *plicatum* 126; *torquescens* var. *barbatum* 127

Chalara 108, 110, 112
Chamaecrista 252
Chamaecyparis lawsoniana 34
Changes and additions in *Ipomoea* section *Batatas* (Convolvulaceae), by J. Andrew McDonald & Daniel F. Austin 116–120
Cheilanthes microphylla var. *fimbriata* 241, var. *microphylla* 241
Chevreulia 138
Chionolaena 138, 139
Chloranthaceae 198
Chromosome studies on *Capsicum* (Solanaceae) I. Karyotype analysis in *C. chacoënse*, by Eduardo A. Moscone 147–154
Chrysopsis 221–228; sect. *Euchrysopsis* 221; *angustifolia* 225; *arida* 227; *asprella* 227; *bakeri* 225; *ballardii* 225; *breweri* 222; *butleri* 227; *camporum* 223; *canescens* var. *nana* 226; *columbiana* 226; *compacta* 227; *floribunda* 227; *foliosa* 222, 225; *hirsuta* 227; *hirsutissima* 227; *hispida* 226; *horrida* 226, 227; *mollis* 225; *nitidula* 225; *pedunculata* 225; *villosa* 221, 224, 225, var. *angustifolia* 225, var. *foliosa* 225, var. *hispida* 226, 227, var. *scabra* 227; *viscida* subsp. *cinerascens* 227; *wisconsinensis* 227
Ciclospermum 276–278; *ammi* 277; **laciniatum 277**; *leptophyllum* 277, var. **latisectum 277**, var. *leptophyllum* 277, var. **multisectum 277**; **uruguayense** 277, **278**
Cladistics of the Spermatophyta, by Henry Loconte & Dennis W. Stevenson 197–211
Cleistanthus robustus 268
Clethra alnifolia 217
Clintonia uniflora 34
Cnemidaria uleana var. *abitaguensis* 105, 112
Cnidium tenuifolium 277
Cocos 98
Compositae: See Asteraceae
CONSTANCE, LINCOLN, Tardy transfers from *Apium* to *Ciclospermum* (Umbelliferae) 276–278
——— & MICHAEL O. DILLON, A new peltate *Hydrocotyle* (Umbelliferae) from northern Peru 257–259
Convolvulaceae 116–120, 181
Cornaceae 165–170
Cornus 168; *disciflora* 168
CORTÉS, GILBERTO. See Palacios-Rios & Cortés 241–243
Coussapoa 59–63; *batavorum* key 63; *cinnamomifolia* 59, key 60; *contorta* key 59; *echinata* 59; **fulvescens 59**, key 59 & 60; *herthae* 59, key 59; *napoensis* key 63; *nitida* 60, 61, key 61; *ovalifolia* 62; *parviceps* 62, key 63; *parvifolia* 59, key 59; **tolimensis** 59, **60**, 61, fig. 61, key 61; **valaria** 59, **62**, fig. 62, key 63
CRAWFORD, DANIEL. See Valdebenito, Stuessy & Crawford 121–124
Crax rubra 168
Crocicreas 110, 113; *gemmisporum* 115; **sessilis** 105, **112**–115, figs. 113 & 114
CRONQUIST, ARTHUR—book review of *Guide to the Vascular Plants of the Blue Ridge*, by B. Eugene Wofford 162–163
———.—book review of *How to Know Western Australian Wildflowers. Part I. Dicotyledons (Casuarinaceae to Chenopodiaceae). Second Edition*, by William E. Blackall & Brian J. Grieve 46
———.—book review of *Plant Taxonomy: The Systematic Evaluation of Comparative Data*, by Tod F. Stuessy 256
———.—book review of *The Illustrated Flora of Illinois. Flowering Plants. Nightshades to Mistletoe*, by Robert H. Mohlenbrock 181
———.—book review of *The Vascular Flora of Ohio. Volume 2. The Dicotyledoneae of Ohio. Part 3. Asteraceae*, by T. Richard Fisher 228
Croptilon 221
Crossomitrium: *acuminatum* 127; *calomicron* 131; *cruegeri* 127, 128; *cubense* 127; *herminieri* 131; *heterodontium* 127; *jamaicense* 127; *orbiculatum* 54, 127; *patrisiae* 127, 130; *portoricense* 127; *scabrisetum* 127; *sellowii* 127; *sintenisii* 127; *spruceanum* 127; *subepiphyllum* 131; *wallisii* 127
Cryphaeadelphus robustus 232
Cryptangium schomburgkii 232
Cuatrecasasiella 138
Cuphea 12–32; sect. *Diploptychia* 25; sect. *Heterodon* 22, 23, 27; sect. *Melvilla* 12–32, key 13–16; sect. *Trispermum* 27; subsect. *Erythrocalyx* key 15, 22, 23, 27; subsect. *Melvilla* key 13, 27, 30; subsect. *Pachycalyx* 12, 13, key 14, 16, 19–24, 27–29; subsect. *Paramelvilla* 13, key 14, 19; subsect. *Polyspermum* key 13; subsect. *Pseudolobelia* key 13; **andersonii** 12, key 15, **16**–18, fig. 17, 20; *annulata* key 15, 18–20, 22; *baillonis* key 15, 19; *bracteolosa* 13, key 14, 19, 23; *caeciliae* key 16, 19, 30; *crudyana* key 13, 19, 25; *cuiabensis* key 13, 19, 20; **cylindracea** 12, key 14, **20**–21, fig. 21; *egleri* key 15, 18, 20–22; *flavovirens* key 15, 22, 27; *froesii* key 14, 20, 22, 29, 31; *fuchsiifolia* key 14, 22, 31, var. *denudata* 31; *gardneri* key 14, 21–23; *glaziovii* key 13, 23, 26; *goldmannii* key 15, 23; *grandiflora* key 15, 19, 21, 23, 30, var. *fecunda* key 15, 23; *heteropetala* key 14, 24; *heterophylla* key 15, 22, 24, 27, f. *ghiesbreghtiana* 24, f. *hartwegiana* 24; *heydei* key 16, 24; *hybogyna* key 15, 24; *ignea* key 16, 24, 25; *intermedia* key 15, 23, 25; *jorullensis* key 15, 25, var. *tomentosa* 25; *liebmannii* key 16, 25; *llavea* 23; *lobelioides* key 13, 19, 25; *loefgrenii* key 15, 25; *melvilla* key 13, 20, 23, 25, 26, 30; *mexiae* key 16, 26; *micropetala* key 14, 24, 26, var. *hirtella* 26; *nelsonii* 25; *niederleinii* key 13, 23, 26; *oreophila* key 14, 26, 30; *paradoxa* key 13, 26, 27; *platycentra* 24; *pulchra* key 13 & 15, 27; *quaternata* key 15, 22, 27; *rasilis* key 14, 27; *retroscabra* key 15, 27, 28; *rubrovirens* key 14, 28, 31, 32; **sabulosa** 12, key 14, 20, **28**–29, fig. 29; *salvadorensis* key 14, 29, 30; *sanguinea* 25; *santos-limae* key 13, 30; *schumannii* key 14, 30; *speciosa* 26; *splendida* key 13, 30; *subuligera* key 16, 19, 30, 31; *teleandra* key 14, 28, 29, 31, 32; *trichochila* key 16, 31; *warmingii* key 14, 22, 31; *watsoniana* key 16, 26, 31
Cuscutaceae 181

Cusparia ulei 177
Cyathea 105, 110; *caudata* 105; *divergens* var. *tuerckheimii* 105, 112, 113
Cycas 201, 207, 208
Cyclodictyon: *albicans* 54, 127–131; *albicaule* 128; *arsenei* 127; *bicolor* 128; *brittonae* 127; *cubense* 127; *densifolium* 128; *denticulatum* 127; *dussii* 127; *erubescens* 127; *humectatum* 127; *hyalinum* 129; *jamesii* 127; *limbatulum* 129; *lindigianum* 129, var. *acunae* 127; *maxonii* 127; *olfersianum* 129; *prasiophyllum* 129; *roridum* 129; *rubrisetum* 129; *subtortifolium* 126, 131; *varians* 54, 127–130
Cylindrothecium amplirete 127
Cyperus: *ferruginescens* 293; *odoratus* 293
Cyrilla racemiflora 217
Dalea 89–91; sect. *Parosela* 89–91; ser. *Lasiostomae* 89, 90; **acracarpica 89**–91, fig. 90; *cylindrica* 91, var. *sulfurea* 91; *hegewischiana* 89, 90; *leporina* 91; *pennellii* 91, var. **chilensis** 89, **91**, var. *pennellii* 89, 91
Daltonia: *dussii* 127; *gracilis* 127; *lindigiana* 127; *longifolia* 127; *pulvinata* 127; *robusta* 127; *stenophylla* 127; *tenuifolia* 127; *tuberculosa* 127
Davidia 168
Decachaeta 156
Degeneria 245
Degeneriaceae 245
Delphinium carolinianum subsp. *virescens* 293
Desmanthodium 283–285; subg. **Multiaggregata 283**; **congestum 283**–285, fig. 284; *perfoliatum* 285; *tomentosum* 285
Dichelyma: *capillaceum* 232, var. *elongatum* 232; *cylindricarpum* 232; *falcatum* 233; *hatakeyamae* 232; *intermedium* 232; *japonicum* 232; *obtusulum* 232; *pallescens* 232; *uncinatum* 232
DICKISON, WILLIAM C., An additional note on the floral morphology and affinities of *Medusagyne oppositifolia* (Medusagynaceae) 191–196
Dicranella: *hilariana* 54; *perrotetti* 54
Dicranum: *fuscescens* f. *pallidiseta* 52; *viride* 53
Didymodon rigidulus 53
Dillenia 191, 195
Dilleniaceae 196
DILLON, MICHAEL O. See Constance & Dillon 257–259
Dimeriaceae 106
Dimeriella 105, 108, 115; *cyathearum* 105; *hirtula* 108; **polypodii** 105, **107**, 108, figs. 107 & 109, 115
Dioon fig. 206
Dioscorea 142–146, key 146, 180; sect. *Enantiophyllum* 142, 146, key 146; *alata* 142; *esculenta* 142; **koyamae 142**–146, figs. 143 & 144, key 146; *oppositifolia* 142, key 146; *spicata* 142, fig. 145, 146, key 146; *trimenii* 142, key 146
Dioscoreaceae 142–146
Dioscorea koyamae (Dioscoreaceae), a new edible yam from Sri Lanka, by A. H. Magdon Jayasuriya 142–146
Diplopappus 226; *hispidus* 221, 226, 227; *villosus* 225
Diplothemium 92; *torallyi* 92, 95
Disciphania 178–181; sect. *Dioscoreopsis* 180; sect. *Taubertia* 178, 180; *amaranthoides* 180; *cubijensis* 180; **dioscoreoides 178**–180, fig. 179; *juliflora* 180, 181; *lobata* 181; **tricaudata** 178–**180**, fig. 179, 181
Distichophyllidium nymanianum 126
Distichophyllum: *andicola* 127; *cubense* 127; *cucullatum* 127; *mariei* 127; *pusillum* 127
Distribution maps: *Hymenocallis henryae* 216; *Parajubaea* 96; *Tessmannianthus carinatus, cereifolius & gordonii* 10
DORR, LAURENCE J.—book review of *The Vascular Plants of Texas. A List, Up-dating the Manual of the Vascular Plants of Texas. Second edition*, by Marshall C. Johnston 293–294
———. See Barnett & Dorr 271–275
Drepanocladus vernicosus 55
DUNCAN, THOMAS & ABUNDIO SAGÁSTEGUI-ALVA, A new species of *Ranunculus* (Ranunculaceae) from Peru 182–184
Echeandia chandleri 293
Eleocharis acicularis 159
Emended description of and new combinations in *Raputia* (Cuspariinae, Rutaceae), by Jacquelyn A. Kallunki 175–177
Encyclia: *altissima* 286, 288–290; *fehlingii* 288–290; *fucata* 289, 290; ×**guzinskii** 286, **288**, 289; ×**hillyerorum** 286, **289**, 290; *hodgeana* 290; ×**knowlesii** 286, **288**; *plicata* 288–290
Entodon macropodus 54
Entodontopsis leucostega 54
Entoloma 37, 294
Entolomataceae 37
Entosthodon bonplandii 54
Ephedra 199–201, 204, 205
Ephedraceae 200, 202, 204, 207
Epidendrum: *filiforme* 286; *hodgeanum* 290
Epipterygium wrightii 54
Eragrostis 47–49; **riobrancensis 47**–49, fig. 48; *scaligera* 49; *simpliciflora* 49
Ericaceae 254–256
Eriocaulon decangulare 217
Eriopus haitensis 128
Eucommia 245
Eucryphia 196
Eucryphiaceae 196
Eudimeriolum 106, 115; **cyathearum 105**, 106, fig. 106
Eupatorium 155, 279–282; sect. *Verticillata* 279, 281, 282; *fistulosum* 281, key 281; *purpureum* 279, 281, key 281; **steelei 279**–282, fig. 280, key 281
Eupatorium steelei (Asteraceae), a new species from the southern Appalachian Mountains of eastern U.S.A., by Eric E. Lamont 279–282
Euphorbiaceae 260–270
Eupteleaceae 244
Fabaceae 89–91, 100–104; Amorpheae 89–91
Facelis 138
Fagaceae 168, 245
Filago 154
Fissidens: *garberi* 54; *manateensis* 52; *pellucidus* 54
FLORY, WALTER S. See Smith & Flory 212–220

Fontinalaceae 125, 229–240
Fontinalaceae in the Winona H. Welch Herbarium (DPU) and a list of Welch's collecting trips outside of Indiana, by Benito C. Tan 229–240
Fontinalis: *allenii* 232; *amblyphylla* 232, var. *pungens* 232; *androgyna* 232; *antipyretica* 232–236, subsp. *arvenica* 229, 232, var. *azorica* 232, subsp. *columbica* 232, var. *cymbifolia* 232, var. *erythraea* f. *laxa* 232, f. *robusta* 232, var. *gigantea* 232–234, var. *gracilis* 232–235, var. *heldreichii* 232, var. *minor* 232, var. *mollis* 235, 236, var. *monensis* 232, var. *montana* 233, var. *oreganensis* 232, 233, var. *pseudokindbergii* 233, var. *rigens* 233, var. *rufescens* 233, var. *subgracilis* 233, var. *thermalis* 233, var. *yezoana* 233; *berneti* 233; *biformis* f. *aestivalis* 233, f. *vernalis* 233; *bogotensis* 233; *bovei* 233; *bryhnii* 233; *californica* 233; *camusi* 233; *cavifolia* 233, var. *rhenana* 233; *chrysophylla* 233; *dalecarlica* 233, 235, var. *baltica* 233; *denticulata* 233; *dichelymoides* 233; *disticha* 233–235; *dixonii* 233; *dolosa* 233; *duriaei* 232–235, var. *pungens* 233; *duthieae* 233; *eatonii* 233; *falcata* 233; *fasciculata* 229, 233, var. *danubica* 234; *filiformis* 234, var. *tenuifolia* 234; *fiorii* 234; *flaccida* 233, 234; *gothica* 234, var. *dimorphophylla* 234; *gracilis* 234, var. *grebeana* 234; *holzingeri* 234; *howellii* 234; *hypnoides* 232, 234, 235, var. *adlerzii* 234, var. *angustifolia* 234, var. *japonica* 234, subsp. *tenella* 234; *involuta* 234; *islandica* 234; *kindbergii* 234; *lachenaudii* 234; *langloisii* 234; *lescurii* 234, var. *cymbifolia* 234, var. *gracilescens* 234, var. *ramosior* 234; *livonica* 234; *longifolia* 234; *macmillanii* 234; *maritima* 234; *mesopotamica* 234; *microdonta* 234; *microphylla* 235, f. *subfalcata* 235; *missourica* 234–236; *mollis* 235; *neo-mexicana* 232, 234, 235; *nitida* 235; *novae-angliae* 233–235, subsp. *cardotii* 229, 235, var. *cymbifolia* 234, var. *groutii* 235, var. *heterophylla* 235, var. *latifolia* 235, var. *lorenziae* 235; *obscura* 235; *patula* 235; *perfida* 235; *prageri* 235; *ravanii* 235; *renauldii* 235; *seriata* 235; *sparsifolia* 235; *sphagnifolia* 233; *squamosa* 233, 235, var. *capillaris* 235, subsp. *delamarei* 235, f. *julacea* 235, f. *latifolia* 235; *stagnalis* 235; *subcarinata* 235; *subulata* 235; *sullivantii* 53; *thulensis* 236; *umbachii* 236; *utahensis* 236; *waghornei* 236
FREIRE, SUSANA E. See Anderberg & Freire 138–141
Gamochaeta 138, 139
Garrya 168
Gaultheria 254–256; *anastomosans* 254, 256; *buxifolia* 254, 256; *erecta* 254; **steyermarkii 254–256**, fig. 255; *tatei* 254
Gaultheria steyermarkii (Ericaceae): A new endemic to Cerro Turimiquire, Venezuela, by James L. Luteyn 254–256
Gentianella 182
Genus *Parajubaea* (Palmae), by Mónica Moraes R. & Andrew Henderson 92–99
Ginkgo 161; *biloba* 201
Globimetula 68
Gnaphaliothamnus 138
Gnetaceae 200, 202, 207
Gnetum 199, 200, 204
Goldenasters 221–228
GOODE, JEANNE—book review of *The Old English Herbals*, by Eleanour Sinclair Rohde 211
Gordonia 169
GRAHAM, SHIRLEY A., New species of *Cuphea* section *Melvilla* (Lythraceae) and an annotated key to the section 12–32
Gramineae: See Poaceae
GRIMES, JAMES W. See Barneby & Grimes 249–253
Grimmia 154; *fontinaloides* 236; *moxleyi* 52
Groutiella 53; *apiculata* 54; *husnotii* 54; *mucronifolia* 54
Gynoxys dilloniana 182
HALLING, ROY E.—book review of *Entoloma (Agaricales) in Europe*, by Machiel Evert Noordeloos 37
———.—book review of *The Genus Tulostoma (Gasteromycetes)—A World Monograph*, by Jorge E. Wright 137
Hamamelidaceae 168
HAMMEL, BARRY E. & NELSON A. ZAMORA, *Nyssa talamancana* (Cornaceae), an addition to the remnant Laurasian Tertiary flora of southern Central America 165–170
Haplopappus sect. *Isopappus* 221
Harrisella: *amesiana* 286; *filiformis* 286, 287; *porrecta* 287
HAYDEN, W. JOHN, Notes on neotropical *Amanoa* (Euphorbiaceae) 260–270
Hedyotis 185, 188; *callitrichoides* 185; *nigricans* 188
Helicoblepharum venustum 131
Heliconia 84
Helosciadium: *ammi* 277; *biternatum* 278; *deserticolum* 278; *gracile* 278; *laciniatum* 277, var. *elatius* 277, var. *humile* 277; *leptophyllum* 277; *ranunculifolium* 277
Hemiragis aurea 54
HENDERSON, ANDREW—book review of *Palms of the New World. A Conservation Census*, by J. Dransfield, D. Johnson & H. Synge 46
———. See Moraes R. & Henderson 92–99
Heterotheca 221–228; sect. *Heterotheca* 221; sect. *Phyllotheca* 221; *breweri* 222; *camporum* 221, 223, 224, var. *camporum* 223, var. *glandulissimum* 223; *canescens* 225; *foliosa* 225; *fulcrata* 223; *horrida* 227, subsp. *cinerascens* 227; *stenophylla* 225; *villosa* 221–227, var. *angustifolia* 225, var. *foliosa* 225, var. *hispida* 224, 226, 227, var. *pedunculata* 225, var. *villosa* 224, 227; *wisconsinensis* 227
Homalia lentula 128
Hookeria: *acicularis* 128; *albicaulis* 128; *antillarum* 127; *araucariae* 128; *bernoulii* 128; *bicolor* 128; *blanda* 128; *bogotensis* 128; *cheiloneura* 128; *ciliata* 128; *crispa* 128; *cruceana* 128; *crugeriana* 128; *cubensis* 128; *cupressiformis* 128; *cymbifolia* 128; *densifolia* 128; *denticulata* 128; *diatomophila* 128; *diffusa* 128; *dimorpha* 128; *divaricata* 128; *diversifolia* 128; *dussii* 127; *erythrochaete* 128; *falcata* 128; *falcatula* 128; *filescens* 128; *filiformis* 129; *fis-*

sidentoides 129; *flexifolia* 129; *hahniana* 129; *haplociliata* 129; *harrisii* 129; *hospitans* 126; *hyalina* 129; *hypniformis* 129; *intermedia* 129; *latifolia* 129; *leiophylla* 129; *leptorrhyncha* 129; *liebmannii* 129; *limbatula* 129; *lindigiana* 129; *lucens* 130; *luteo-rufescens* 129; *membranacea* 129; *muelleri* 129; *nitida* 129; *obliquicuspis* 126; *oerstediana* 129; *olfersiana* 129; *pallens* 129; *pallida* 129; *pendula* 126; *pilifera* 129; *prasiophylla* 129; *radicans* 129; *riparia* 129; *rivularis* 129; *rorida* 126; *rubriseta* 129; *rufa* 130; *scabriseta* 130; *splitgerberi* 130; *subfalcata* 130; *subfissidentoides* 130; *subglareosa* 130; *tenuifolia* 130; *ulophylla* 126; *varians* 126, 130; *wrightii* 130

Hookeriaceae 125–137, 230

Hookeriopsis: *acicularis* 128; *angustiretis* 130; *borinquensis* 130; *callicostelloides* 130; *cheiloneura* 128; *crispa* 128; *crugeriana* 128; *cubensis* 130; *diffusa* 128; *dimorpha* 128; *falcata* 128, 129; *falcatula* 128; *fissidentoides* 129; *guatemalensis* 130; *heteroica* 130; *hypniformis* 129; *laevinervis* 130; *leiophylla* 129; *longiseta* 130; *luteo-rufescens* 129; *obsoletinervis* 130; *obtusifolia* 130; *panamensis* 130; *rufa* 130; *saxicola* 132; *standleyi* 130; *subfalcata* 130; *subincurva* 130; *undata* 130, 131; *websteri* 130

Houstonia 185, 188; *rubra* 188

HOWARD, RICHARD A.—book review of *Anatomy of the Dicotyledons, Second Edition. Volume II, Wood Structures and Conclusion of the General Introduction*, by C. R. Metcalfe & L. Chalk 292–293

Humiriaceae 166

Hydrocotyle 257–259; *aconitifolia* 257, 258; *globiflora* 257; *gracilis* 257, 258; *hexagona* 257, 258; *humboldtii* 257, 258; *langsdorfii* 257, 258; *lehmannii* 257, 258; *peruviana* 258; *quinqueloba* 257, 258; **sagasteguii** 257–259, fig. 258; *yanghuangensis* 257, 258

Hydropogon 230; *brevinerve* 236; *fontinaloides* 236

Hydropogonella 230; *gymnostoma* 232

Hygroamblystegium noterophilum 53

Hygrohypnum molle 53

Hymenocallis 212–220; *henryae* 212–220, figs. 213–215 & 217, map 216; *humilis* 218; *palmeri* 212–214, 218, 219

Hypericum 75; *brachyphyllum* 217

Hypnella: *cymbifolia* 128; *diversifolia* 132; *filiformis* 128, 129; *leptorrhyncha* 128, 129; *pallescens* 128; *pilifera* 128, 129; *wrightii* 130

Hypnum: *diaphanum* 130; *flexuosum* 130; *lucens* 130; *polytrichoides* 130; *rigidum* 130

Icacinaceae 166

Ilex: *glabra* 217; *myrtifolia* 217

Imeria 156

Instructions to contributors 85–88

Inula 222, 223; subg. *Chrysopsis* 224, 225; *villosa* 222, 224, 225

Ipomoea 116–120; subg. *Eriospermum* 120; sect. *Batatas* 116–120; sect. *Eriospermum* 118; *apiculata* 118; *batatus* 119, var. **apiculata** 116, **118**, 119; *sagittata* 118; **tabascana 116**–118, key 116, fig. 117; *tenuissima* 116, key 116, 118; *tiliacea* 120; *umbraticola* 116, key 116, 119, 120; *vulsa* 118

Iris: sect. *Hermodactyloides* 154; *reticulata* 154

Isodrepanium lentulum 128, 129

Isopterygium tenerum 54

Jalcophila 138–141, key 141; **boliviensis** 138, **139**–141, fig. 140, key 141; *ecuadoriensis* 138, 139, key 141; *peruviana* 138, 139, key 141

Jalcophila boliviensis, a new species of South American Asteraceae (Gnaphalieae), by Arne A. Anderberg & Susana E. Freire 138–141

JAYASURIYA, A. H. MAGDON, *Dioscorea koyamae* (Dioscoreaceae), a new edible yam from Sri Lanka 142–146

Jubaea 92, 93, 98; *torallyi* 92, 95

Jubaeopsis 98

JUDZIEWICZ, EMMET J. & PAUL M. PETERSON, A new cleistogamous South American species of *Eragrostis* (Poaceae: Chloridoideae) 47–49

Juglandaceae 246

Juglans 246

Juncus 182

Justicia 84

KALLUNKI, JACQUELYN A., An emended description of and new combinations in *Raputia* (Cuspariinae, Rutaceae) 175–177

Koanophyllon 156

KUIJT, JOB, A second species of *Ligaria* (Loranthaceae) 66–69

Lachnanthes caroliniana 218

Lactoris 244, 245

LAMONT, ERIC E., *Eupatorium steelei* (Asteraceae), a new species from the southern Appalachian Mountains of eastern U.S.A. 279–282

Lasiostemma 106; *cyathearum* 105

Lecythidaceae 84

Leguminosae 84, 124, 249–253; Caesalpinioideae 249–253; Papilionoideae 251; Caesalpinieae 249, 252; Cercideae 253; Sclerolobieae 249, 252; Sophoreae 251; Swartzieae 251–253

Leitneria 245

Lepidopilidium: *divaricatum* 128; *portoricense* 127

Lepidopilum: *affine* 130; *amplirete* 127; *antillarum* 130; *apiculatum* 130; *apophysatum* 130; *aureofulvum* 130; *biductulosum* 129; *brevipes* 130, 131; *calomicron* 131; *carneum* 131; *cladorrhizans* 131; *contiguum* 131; *cubense* 128; *daltonioides* 131; *decaisnei* 131, var. *brevicuspis* 131; *diaphanum* 130; *dominicense* 131; *filiferum* 131; *floresianum* 131; *haplociliatum* 129; *herminieri* 131; *integrifolium* 131; *intermedium* 129, 131; *livens* 131; *mohrianum* 131; *muelleri* 129; *nitidum* 131; *platyphyllum* 131; *polytrichoides* 130, var. *pellucens* 131; *pringlei* 131; *pterygophylloides* 131; *pumilum* 131; *purpurascens* 131; *radicale* 131; *robustum* 131; *rotundifolium* 131; *scabrisetum* 131, 132; *semilaeve* 131; *skutchii* 131; *sprucei* 131; *stolonaceum* 131; *subdivaricatum* 131; *subenerve*

131; *subepiphyllum* 131; *subtortifolium* 131; *tortifolium* 131; *venustrum* 131; *wallisii* 127
Leskea: *albicans* 131; *depressa* 131; *gracilescens* 53; *striata* 126; *undata* 131
Leskeodon: *andicola* 127; *auratus* 132; *cubensis* 127; *mariei* 127; *mexicanus* 131; *parvulus* 132; *pusillus* 127
Leucobryum martianum 54
Leucodontopsis geniculata 54
Leucoloma: *schwaneckeanum* 54; *serrulatum* 54
Leucomium: *riparium* 131; *serratum* 132
LEWIS, WALTER H. See Terrell & Lewis 185–190
Ligaria 66–69; *cuneifolia* 66, 68; **teretiflora** 66, **67**, fig. 67, 68
Linnaea borealis 34
Liriodendron tulipifera 281
LISTON, AARON, Taxonomic notes on *Astragalus* section *Leptocarpi* subsection *Californici* (Fabaceae) 100–104
LOCONTE, HENRY—book review of *Evolution, Systematics, and Fossil History of the Hamamelidae. Vol. 1. Introduction and 'Lower' Hamamelidae. Vol. 2. 'Higher' Hamamelidae*, edited by Peter R. Crane & Stephen Blackmore 244–246
——— & DENNIS W. STEVENSON, Cladistics of the Spermatophyta 197–211
Lophiola americana 218
Loranthaceae 66–69, 84
Loranthus 66
Loricaria 138; *ferruginea* 182
LU, KAREN L. See Mesler & Lu 33–37
Lucilia 138, 139; *hypoleuca* 138, 141
Lucya 185, 189; *tetrandra* 189; *tuberosa* 189
LUTEYN, JAMES L., *Gaultheria steyermarkii* (Ericaceae): A new endemic to Cerro Turimiquire, Venezuela 254–256
Lycopodiaceae 6
Lysiana 68
Lythraceae 12–32
Macromitrium: *cirrosum* 54; *perichaetiale* 54; *scoparium* 54
Mahonia 99
Matudaea 168
MCDONALD, J. ANDREW & DANIEL F. AUSTIN, Changes and additions in *Ipomoea* section *Batatas* (Convolvulaceae) 116–120
MCVAUGH, ROGERS—book review of *Charles Wright in Cuba 1856–1867*, by Richard A. Howard 157–160
———.—book review of *Charles Wright on the Boundary 1849–1852 or Plantae Wrightianae Revisited*, by Elizabeth A. Shaw 157–160
Medusagynaceae 191–196
Medusagyne 191–196; *oppositifolia* 191–196, figs. 193 & 194
Melastomataceae 7–11; Merianieae 7–11
Menispermaceae 178–181; Tinosporeae 178–181
Menispermum canadense 231
Mesembryanthemum 99
MESLER, MICHAEL R. & KAREN L. LU, The status of *Asarum marmoratum* (Aristolochiaceae) 33–37
MICKEL, JOHN T.—book review of *Index of the Lycopodiaceae*, by Benjamin Øllgaard 6
Mniadelphus: *auratus* 132; *parvulus* 132
Mniodes 138
Mnium affine 231
Monocharis 154
Monotropa: *hypopithys* 294; *latisquama* 294
Montanoa mollissima 58
MORAES R., MÓNICA & ANDREW HENDERSON, The genus *Parajubaea* (Palmae) 92–99
MORI, SCOTT A.—book review of *The Fate of the Forest: Developers, Destroyers and Defenders of the Amazon*, by Susanna Hecht & Alexander Cockburn 246–247
MOSCONE, EDUARDO A., Chromosome studies on *Capsicum* (Solanaceae) I. Karyotype analysis in *C. chacoënse* 147–154
Myllanthus 175, 176; *maroana* 176; *neblinensis* 177; *ulei* 177
Neanotis 188
Neckera: *pennata* 54; *scabriseta* 132; *splachnoides* 126
Neckeropsis disticha 54
NEE, MICHAEL—book review of *The Potatoes of Bolivia: Their Breeding Value and Evolutionary Relationships*, by J. G. Hawkes & J. P. Hjerting 164
Nelumbo 244
Neocabreria 156
Neohypnella: *diversifolia* 128, 132; *mucronifolia* 132
Neoraputia 175
Neotypification of *Amellus villosus*, the identity of a Bradbury collection, and typification of some other goldenasters (Compositae: Astereae), by John C. Semple 221–228
Nephrolepis: *biserrata* 241, 242; *multiflora* 242
New and noteworthy species in *Begonia* section *Gireoudia* (Begoniaceae) from Mexico, by Kathleen Burt-Utley 38–46
New, arborescent species of *Byttneria* (Sterculiaceae) from French Guiana, by Lisa C. Barnett & Laurence J. Dorr 271–275
New cleistogamous South American species of *Eragrostis* (Poaceae: Chloridoideae), by Emmet J. Judziewicz & Paul M. Peterson 47–49
New peltate *Hydrocotyle* (Umbelliferae) from northern Peru, by Lincoln Constance & Michael O. Dillon 257–259
New pteridophyte records for the state of Quintana Roo, Mexico, by Mónica Palacios-Rios & Gilberto Cortés 241–243
New species and subgenus of *Desmanthodium* (Compositae, Heliantheae) from southern Mexico, by Jorge E. Arriagada & Tod F. Stuessy 283–285
New species of *Coussapoa* and *Pourouma* (Cecropiaceae), by Cornelis C. Berg 59–65
New species of *Cuphea* section *Melvilla* (Lythraceae) and an annotated key to the section, by Shirley A. Graham 12–32
New species of *Picramnia* (Simaroubaceae) from Amazonian Peru, by Wm. Wayt Thomas 171–174

New species of *Ranunculus* (Ranunculaceae) from Peru, by Thomas Duncan & Abundio Sagástegui-Alva 182–184
New species of *Stenandrium* (Acanthaceae) from the Planalto of Brazil, by Dieter C. Wasshausen 1–6
New species of *Viguiera* (Asteraceae: Heliantheae) from Mexico, by Edward E. Schilling & Jose L. Panero 56–58
Nicotiana africana 151
Niphogeton ternata var. *ternata* 277
Notes on neotropical *Amanoa* (Euphorbiaceae), by W. John Hayden 260–270
Nothofagus 245
Nyssa 165–169; *lescurii* 168; *ogeche* 168; **talamancana 165**–169, fig. 167
Nyssaceae 168
Nyssa talamancana (Cornaceae), an addition to the remnant Laurasian Tertiary flora of southern Central America, by Barry E. Hammel & Nelson A. Zamora 165–170
Octoblepharum albidum 54
Odontocarya 180
Oldenlandia 185, 187–189; *callitrichoides* 185; *corymbosa* 188; *microtheca* 188; *salzmannii* 189
Oldenlandiopsis 185–190; **callitrichoides 185**–187, fig. 186, 189
Oldenlandiopsis (Rubiaceae), a new genus from the Caribbean Basin, based on *Oldenlandia callitrichoides* Grisebach, by Edward E. Terrell & Walter H. Lewis 185–190
Olea europaea 154
Oleandraceae 242
Orchidaceae 154, 286–291
Orchidaceae of the Bahama Archipelago: additions, distributional extensions, and nomenclatural change, by Ruben P. Sauleda & Ralph M. Adams 286–291
Oreomunnea 169
Orphanodendron 249–253; **bernalii 249**–252, figs. 250 & 252
Orphanodendron, a new genus of caesalpinioid Leguminosae from northwestern Colombia, by Rupert C. Barneby & James W. Grimes 249–253
Orthotrichum 53; *apiculatum* 54; *sordidum* 50, 51, 54, 55
Osmunda regalis 218
Ottonia 80; *corei* 80
Oxalis 104
PALACIOS-RIOS, MÓNICA & GILBERTO CORTÉS, New pteridophyte records for the state of Quintana Roo, Mexico 241–243
Palmae 84, 92–99
PANERO, JOSE L. See Schilling & Panero 56–58
Panicum scoparium 217
Papaveraceae 154
Papillaria nigrescens 55
Paracryphiaceae 196
Parajubaea 92–99, key 93, map 96; *cocoides* 92–98, key 93, figs. 94 & 95, map 96; *torallyi* 92–98, key 93, figs. 94 & 95, map 96
Parapentas 189
Parodiopsidaceae 105
Parsonsia salvadorensis 29
Passifloraceae 84
Peltigera canina 231
Peperomia 70–76, 121–124; subg. *Sphaerocarpidium* 75; subg. *Tildenia* 73; sect. *Eutildenia* 73; sect. *Hemirhynchophorum* 73; subsect. *Geomorpha* 73; **antioquiensis** 70, **71**–73, fig. 72; *berteroana* 121–124, subsp. **berteroana** 121, **123**, subsp. **tristanensis** 121, **122**, 123; **boekei** 70, **73**–76, fig. 74, key 75; *dolabriformis* 75; *fernandeziana* 121; *ferreyrae* 75; *glandulosa* 75, key 75; *hutchisonii* 75; *macrostachya* 72; *macrotricha* 72; *margaritifera* 121; *nivalis* 75; *pellucida* 72; *prolifera* 75; *saligna* 75; *skottsbergii* 121; *steyermarkii* 72, 73; *tristanensis* 121, 122; *trollii* 75; *umbellifera* 75; *weberbaueri* 75
Pereskia 75
Peristylus 154
PETERSON, PAUL M. See Judziewicz & Peterson 47–49
Philonotis: *glaucescens* 55; *sphaerocarpa* 55; *uncinata* 55
Philophyllum tenuifolium 130
Phrygilanthus 66
Phyllogonium fulgens 55
Picramnia 171–174, key 173–174; **bullata 171**–174, fig. 172, key 174; *caracasana* key 174; *elliptica* key 174; *juniniana* key 173 & 174; *latifolia* key 174; *magnifolia* key 173; *nuriensis* 171, 173, key 174; *sellowii* 171, 173, key 174
Pilotrichella flexilis 55
Pilotrichidium: *antillarum* 132, var. *cubense* 132; *callicostatum* 55
Pimpinella leptophylla 277
Pinaceae 162
Pinus fig. 206
Piper 70, 71, 76–81; subg. *Arctottonia* 70, 80; subg. *Ottonia* 71, 80; *aduncum* 70; *aequale* 77; *begoniicolor* 80; *cararense* 77, 78; *cocornanum* 80; *cornifolium* 80; *dilatatum* 70; **enckeaespicum** 70, **80**; *eriopodon* 80; *hispidum* 70; *peculiare* 80; **perpusillum** 70, **76**–78, fig. 77; *subpedale* 80; **valdivianum** 70, **78**–80, fig. 79
Piperaceae 70–82, 99, 121–124
Piptatherum 154
Pityopsis 221
Platanaceae 244
Platydictya jungermannioides 54
Poaceae 47–49, 154; Chloridoideae 47–49
Poeppigia 252
Pogonatum tortile 55
Pohlia apiculata 55
Poikilospermum 246
Polemoniaceae 181
Polyandrococos 98; *torallyi* 92, 95
Polypodium: *madrense* 105, 108; *montigenum* 105, 108
Polystachya foliosa 290
Pontederiaceae 154
Porotrichum insularum 55
Portlandia 170
Pourouma 59, 63, 64; *cucura* key 63; *hirsuti-*

petiolata 63; **napoensis** 59, **63,** key 63 & 64, fig. 64; *oraria* 63; *tomentosa* subsp. *persecta* key 64
Pseudocrossidium aureum 50, 51
Pseudocryphaea domingensis 55
Pseudotsuga menziesii 34
Psittacanthus 66, 68; *amazonicus* 68; *cuneifolius* 66; *sonorae* 66; *teretiflorus* 66, 67
Psoralea 124
Psychotria 247, 248; *bogotensis* 248
Pteridophytes 241–243
Pteris grandifolia 241, 242
Pylaisiella 54; *selwynii* 50, 51, 54
Pyrrhobryum spiniforme 55
Quercus: *alba* 281; *borealis* 281; *buckleyi* 293; *mohriana* 293; *sadleriana* 34; *texana* 293; *velutina* 281
Ranunculaceae 99, 182–184
Ranunculus 182–184; sect. *Epirotes* 182; *bangii* 182, 184; *breviscapus* 184; *donianus* 182, 183; **lambayequensis 182**–184, fig. 183; *praemorsus* var. *praemorsus* 184; *sibbaldioides* 184
Raouliopsis 138
Raputia 175–177, key 176; *aromatica* 175, 176, key 176; *heptaphylla* 175; **maroana** 175, **176,** key 176; **neblinensis** 175, key 176, **177**; **ulei** 175, key 176, **177**
Raputiarana 175
Reviewers for volume 42 275
Rhabdodendraceae 154
Rhexia: *alifanus* 218; *lutea* 218
Rhoipteleaceae 246
Rhynchostegiopsis: *flexuosa* 130, 132; *lutescens* 132; *planifolia* 132; *serrata* 132
Rhynchostegium: *cupressinum* 132; *serrulatum* 55
Ribes 75
RICHARDSON, P. MICK—book review of *Phytochemical Methods: A Guide to Modern Techniques of Plant Analysis. Second Edition,* by Jeffrey B. Harborne 115
Roemeria 154
ROGERSON, CLARK T.—book review of *A Literature Guide for the Identification of Plant Pathogenic Fungi,* by Amy Y. Rossman, Mary E. Palm & Linda J. Spielman 65
———.—book review of *Fungi on Plants and Plant Products in the United States,* by David F. Farr, Gerald F. Bills, George P. Chamuris & Amy Y. Rossman 243
———.—book review of *Moulds and Health. Who is at Risk?,* by Yousef Al-Doory & Shirley Ramsey 65
———.—book review of *New Generation Guide to Fungi of Britain and Europe,* by Stefan Buczacki 177
———.—book review of *Soilborne Plant Pathogens: Management of Diseases with Macro- and Microelements,* edited by Arthur W. Engelhard 184
———. See Samuels & Rogerson 105–115
Rubiaceae 185–190, 247–248; Hedyotideae 185, 187, 189
Rungia 84
Rutaceae 175–177; Cuspariinae 175–177
Sacoila: *lanceolata* 290, var. *luteoalba* 290
SAGÁSTEGUI-ALVA, ABUNDIO. See Duncan & Sagástegui-Alva 182–184
Sahnia 162
Salvinia: *auriculata* 242; *minima* 241
Salviniaceae 242
SAMUELS, GARY J. & CLARK T. ROGERSON, Some ascomycetes (fungi) occurring on tropical ferns 105–115
Santalaceae 181
Sarracenia flava 217
SAULEDA, RUBEN P. & RALPH M. ADAMS, The Orchidaceae of the Bahama Archipelago: additions, distributional extensions, and nomenclatural change 286–291
SCHILLING, EDWARD E. & JOSE L. PANERO, A new species of *Viguiera* (Asteraceae: Heliantheae) from Mexico 56–58
Schoenobryum coffeae 55
Scleria 217
SCOTT, RANDALL W.—book review of *The Genera of the Eupatorieae (Asteraceae),* by Robert Merrill King & Harold Robinson 155–157
Scrophulariaceae 82, 83; Antirrhineae 82, 83
Second species of *Ligaria* (Loranthaceae), by Job Kuijt 66–69
Selinum leptophyllum 277
Sematophyllum: *subpinnatum* 55; *xylophyllum* 55
SEMPLE, JOHN C., Neotypification of *Amellus villosus,* the identity of a Bradbury collection, and typification of some other goldenasters (Compositae: Astereae) 221–228
Seseli ammi 277
Sideranthus integrifolius 225
Sigmatanthus 175
Simaroubaceae 171–174
Sison: *ammi* 277; *laciniatum* 277; *ranunculifolium* 277
Smilax laurifolia 217
SMITH, GERALD L. & WALTER S. FLORY, Studies on *Hymenocallis henryae* (Amaryllidaceae) 212–220
Sogerianthe 68
Solanaceae 147–154, 181
Solanum 164; subg. *Potatoe* 164; sect. *Basarthrum* 164; sect. *Petota* 164; ser. *Acaulia* 164; ser. *Circaeifolia* 164; ser. *Commersoniana* 164; ser. *Conicibaccata* 164; ser. *Cuneolata* 164; ser. *Megistracroloba* 164; ser. *Tuberosa* 164; *tuberosum* 164
Some ascomycetes (fungi) occurring on tropical ferns, by Gary J. Samuels & Clark T. Rogerson 105–115
Sphagnum 291
Stangeria 201
Status of *Asarum marmoratum* (Aristolochiaceae), by Michael R. Mesler & Karen L. Lu 33–37
Steirachne 49
Stenandrium 1–6; **goiasense** 1, figs. 2 & 3, **4,** 6; **hatschbachii 1**–4, figs. 2 & 3; **irwinii** 1, 4–6, figs. 3 & 5; *praecox* 4, 6
Stenodictyon: *nitidum* 129; *pallidum* 132; *saxicola* 132; *sericeum* 132; *wrightii* 130, 132

Sterculiaceae 271–275
STEVENSON, DENNIS WM.—book review of *Origin and Evolution of Gymnosperms*, edited by Charles B. Beck 161–162
———. See Loconte & Stevenson 197–211
Stipa 154
Stuckertiella 138
Studies in neotropical Piperaceae. II. Four new species and a new combination from Colombia and Peru, by Ricardo Callejas 70–82
Studies on *Hymenocallis henryae* (Amaryllidaceae), by Gerald L. Smith & Walter S. Flory 212–220
STUESSY, TOD F. See Arriagada & Stuessy 283–285
———. See Valdebenito, Stuessy & Crawford 121–124
Syagrus 92, 93, 98
Symplocaceae 166
Symplocos incahuasensis 182
Synonymy in *Peperomia berteroana* (Piperaceae) results in biological disjunction between Pacific and Atlantic oceans, by Hugo A. Valdebenito, Tod F. Stuessy & Daniel J. Crawford 121–124
Syrrhopodon: *incompletus* var. *berteroanus* 55; *parasiticus* 55; *prolifer* 55
TAN, BENITO C., The bryophyte collections of Wabash College Herbarium (WAB) now at the New York Botanical Garden (NY) 50–55
———, The Fontinalaceae in the Winona H. Welch Herbarium (DPU) and a list of Welch's collecting trips outside of Indiana 229–240
———, Winona H. Welch Herbarium of Hookeriaceae 125–137
Tardy transfers from *Apium* to *Ciclospermum* (Umbelliferae), by Lincoln Constance 276–278
Taxaceae 162, 205
Taxithelium planum 55
Taxodium ascendens 217
Taxonomic notes on *Astragalus* section *Leptocarpi* subsection *Californici* (Fabaceae), by Aaron Liston 100–104
TERRELL, EDWARD E. & WALTER H. LEWIS, *Oldenlandiopsis* (Rubiaceae), a new genus from the Caribbean Basin, based on *Oldenlandia callitrichoides* Grisebach 185–190
Tessmannianthus 7–11, key 7; *carinatus* key 7, map 10; **cereifolius** 7–10, key 7, fig. 8, map 10; *gordonii* key 7, map 10; *heterostemon* 7, 9, 10
Thamniopsis: *cheiloneura* 128; *crugeriana* 128; *diffusa* 128; *incurva* 130; *undata* 128, 131
Thelypteridaceae 242
Thelypteris augescens 241
Third species of *Tessmannianthus* (Melastomataceae: Merianieae) from Panama, by Frank Almeda 7–11
THOMAS, WM. WAYT, A new species of *Picramnia* (Simaroubaceae) from Amazonian Peru 171–174
Thuidium: *involvens* 55; *urceolatum* 55
Ticodendron 168, 169
TIEHM, ARNOLD—book review of *Exploring the Great Salt Lake. The Stansbury Expedition of 1849–50*, edited by Brigham D. Madsen 160–161
Tillandsia 75
Tolumnia: ×**adamsii** 286, **287**, 288; *bahamensis* 287, 288; *lucayana* 290; *sasseri* 287, 288, 290
Tomenthypnum nitens 54
Trachyspermum ammi 277
Trachyxiphium: *guadalupense* 128, 129; *subfalcatum* 130; *tenue* 130; *vagum* 130
Trianaeopiper 71, 78, 80, 81; *bullatum* 78; *enckeaespicum* 80, 81; *filistylum* 78; *silvaticum* 78; *trianae* 78
Trillium ovatum 34
Tulostoma 137; ser. *Fimbriata* 137; ser. *Tubulares* 137
Two new species of *Disciphania* (Menispermaceae: Tinosporeae) from subandean Ecuador and Peru, by Rupert C. Barneby 178–181
Two new taxa in *Dalea* (Fabaceae: Amorpheae) from southern Mexico and northern Chile, by Rupert C. Barneby 89–91
Ulmaceae 245
Umbelliferae: See Apiaceae
Urticaceae 246
VALDEBENITO, HUGO A., TOD F. STUESSY & DANIEL J. CRAWFORD, Synonymy in *Peperomia berteroana* (Piperaceae) results in biological disjunction between Pacific and Atlantic oceans 121–124
Valeriana rigida 182
Viguiera 56–58; ser. *Grammatoglossae* 56, 58; *bombycina* 58; *dentata* 56, 58; *grammatoglossa* 58; **hidalgoana** 56–58, fig. 57; *purpusii* 58
VINCENT, KARL A.—book review of *A Revision of Tribe Antirrhineae (Scrophulariaceae)*, by David A. Sutton 82–83
Viscaceae 181
Voaniola 98
Wardia 230; *hygrometrica* 233
WASSHAUSEN, DIETER C., New species of *Stenandrium* (Acanthaceae) from the Planalto of Brazil 1–6
Weissia sinaloensis 52
Welwitschia 199, 200, 204
Wentiomyces 108
Winona H. Welch Herbarium of Hookeriaceae, by Benito C. Tan 125–137
Winteraceae 245
ZAMORA, NELSON A. See Hammel & Zamora 165–170
Zingiberaceae 84
Zollernia paraensis 252

[BRITTONIA for October–December 1990 (42: 249–304) was issued 27 December 1990]